

UPROTEC Combat suits for firemen and rescuers

Code No.: UXF-F7-921 Standards: CE EN469

Outer fabric: 6.0 oz NomexIIIA


Moisture barrier: 70% Conex/30% Twaron laminated to FR PTFE membrane (membrane to outer fabric)

Thermal lining: 95% Nomex/5% Levlar quilted to Nomex/FR Viscose scrim

Specification:

1. Double close front, Velcro fixing device and safety zipper.
2. Chest pocket on the jackets installed with radio pockets and microphone bracket.
3. Front opening closed with brass zipper which is covered by a Velcro-sealed plate.
4. Two lager flapped pockets in front and flapped bellow pocket on each leg
5. Cuff can be adjusted by Velcro and with fireproof, waterproof and thumb ring design.
6. The sewing thread used high quality Nomex thread.
7. Yeshili Reflective trims installed to enhance high visibility of fire fighters at work.

Size : S-XXL Available color :Navy blue and yellow.



UPROTEC Combat suits for firemen and rescuers



EN 469:2005

T

MODEL NUMBER: UXF-X6-968C

IDENTIFICATION NUMBER: UPT121FA001- UPT121FA090

THIS GARMENT MEETS THE REQUIREMENT OF EN 469:2005 STANDARD ON PROTECTIVE ENSEMBLE FOR STRUCTURAL FIRE FIGHTING.

OUTER SHELL: 6.00Z NOMEXIIIA;

MOISTURE BARRIER: ARAMID/KEVLAR + PTFE;

THERMAL FELT: ARAMID/KEVLAR + ARAMID/ FR VISCOSE

CARE AND CLEANING PRECAUTIONS:

NEVER DRY CLEAN

NEVER USE FABRIC SOFTENER

NEVER USE CHLORINE BLEACH

HANG DRY OUT OF DIRECT SUNLIGHT, TUMBLE DRY AT LOW TEMPERATURES FOR GARMENTS DAMPENED IN SERVICE.

THIS GARMENT IS FOR STRUCTURAL FIRE FIGHTING PROTECTION ONLY. NEVER WEAR INNER LINER OR OUTER SHELL ALONE.
DO NOT REMOVE OR WRITE ON THE LABEL

WARNING

THIS OVERJACKET MUST BE WORN WITH OVERTROUSERS.

LAUNDER ISO 6330, DO NOT USE DEGREASING AGENTS AND BLEACH.

MANUFACTURER: U.PROTEC APPAREL TECH CO., LTD

ADDRESS: 2D BLOCK, NO.8 NANYOU TIAN'AN INDUSTRIAL ZONE,

518054, NANSHAN, SHENZHEN, CHINA

TEL: +86 - 755 - 2641 7314

FAX: +86 - 755 - 2641 0603

EXCLUSIVELY DISTRIBUTED BY: FAIR-ALL MARKETING

ADDRESS: 23 DON RAMON STREET TALAYAN VILLAGE, QUEZON CITY

TEL: +632 712-0383 / +632 712-2799

FAX: +632 743-3392 / +632 413-7863

SIZE: L/XL

BASIC WEIGHT: 1.5KG

MANUFACTURE DATE: 2012. 03

MADE IN CHINA

BFP PROPERTY NOT FOR SALE



0339



UPROTEC Combat suits for firemen and rescuers



EN 469:2005

FIREMAN OVERTROUSERS

MODEL NUMBER: UXF-X6-968T

IDENTIFICATION NUMBER: UPT121FA001- UPT121FA090

THIS GARMENT MEETS THE REQUIREMENT OF EN 469:2005 STANDARD ON PROTECTIVE ENSEMBLE FOR STRUCTURAL FIRE FIGHTING.

OUTER SHELL: 6.0OZ NOMEXIIIA;

MOISTURE BARRIER: ARAMID/KEVLAR + PTFE;

THERMAL FELT: ARAMID/KEVLAR + ARAMID/ FR VISCOSE

CARE AND CLEANING PRECAUTIONS:

NEVER DRY CLEAN

NEVER USE FABRIC SOFTENER

NEVER USE CHLORINE BLEACH

HANG DRY OUT OF DIRECT SUNLIGHT, TUMBLE DRY AT LOW TEMPERATURES FOR GARMENTS DAMPENED IN SERVICE.

THIS GARMENT IS FOR STRUCTURAL FIRE FIGHTING PROTECTION ONLY. NEVER WEAR INNER LINER OR OUTER SHELL ALONE.
DO NOT REMOVE OR WRITE ON THE LABEL

WARNING

THIS OVERJACKET MUST BE WORN WITH OVERTROUSERS.

LAUNDER ISO 6330, DO NOT USE DEGREASING AGENTS AND BLEACH.

U.PROTEC APPAREL TECH CO., LTD

ADDRESS: 2D BLOCK, NO.8 NANYOU TIAN'AN INDUSTRIAL ZONE,
518054, NANSHAN, SHENZHEN, CHINA

TEL: +86 - 755 - 2641 7314

FAX: +86 - 755 - 2641 0603

EXCLUSIVELY DISTRIBUTED BY: FAIR-ALL MARKETING

ADDRESS: 23 DON RAMON STREET, TALAYAN VILLAGE, QUEZON CITY

TEL: +632 712-0383 / +632 712-2799

FAX: +632 743-3392 / +632 413-7863

SIZE: L/XL

BASIC WEIGHT: 1.5KG

MANUFACTURE DATE: 2012.03

MADE IN CHINA

BFP PROPERTY NOT FOR SALE



0339

